O 1 P E CO 2 4 2003 N Paperw

PTO/SB/08a/b (06-03)
Approved for use through 07/31/2003. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
perwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/B/PTO

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 1 of

Complete if Known			
Application Number	10/615,716		
Filing Date	July 8, 2003		
First Named Inventor	Mladen MERCEP		
Art Unit	TBA		
Examiner Name	ТВА		
Attorney Docket Number	03818/100L650-US1		

	U.S. PATENT DOCUMENTS					
Examiner		Document Number	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where	
Initials*	Cite No. <sup>1</sup>	Number-Kind Code <sup>2</sup> (If known)	MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Relevant Figures Appear	
Luga	1.	6,297,260	10/02/2001	Bandarage et al.		
( g*	2.	4,710,495	12/01/1987	Bodor		
شن	3.	6,402,733	06/11/2002	Daugherty		
i,·	4.	6,273,086	08/14/2001	Ohki et al.		
(1	5.	6,228,346	05/08/2001	Zhang et al.		
4	6.	5,747,467	05/05/1988	Agouridas et al.		
′زيا	7.	4,474,768	10/02/1984	Bright		

4

	FOREIGN PATENT DOCUMENTS							
Examiner Initials*	Cite No.1	Foreign Patent Document  Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>5</sup> (If known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T⁰		
	8.	WO 94/13690	06/23/1992	Rhone-Poulenc Rorer Limited	or Neievark Figures Appeal	H		
670	9	WO 94/14834	07/07/1994	Rhone-Poulenc Rorer Limited				
• <sub>3</sub> ,	10.	WO 92/13873	08/20/1992	Aktiebolaget Astra				
- <del>'y</del>	11.	WO 92/13872	08/20/1992	Aktiebolaget Astra				
6.	12.	WO 00/42055	07/20/2000	Zambon Group S.P.A.	·	$\vdash$		
6.3	13.	EP 0283055	08/29/1990	Sour Pliva farmaceutska		-		
- 3 ( <sub>3</sub> )	14.	EP 0775489	05/28/1997	Taisho Pharmaceutical Co.				
új.	15.	EP 0771564	05/07/1997	Taisho Pharmaceutical Co. Ltd.				
, J.	16.	WO 97/41255	11/06/1997	Massachusetts Institute of Technology				
$\cdot \nu$	17.	EP 00680967	10/14/1998	Hoechst Marion Roussel				
1.7	18.	WO 99/51616	10/14/1999	Pliva, Farmaceutska		П		
	19.	EP 0984019	03/08/2000	Pfizer Products Inc.				
٠,٠	20.	WO 98/56801	12/17/1998	Pfizer Products Inc.		П		
	21.	WO 94/14834	07/07/1994	Rhone-Poulenc Rorer Limited		П		
	22.	EP 0984019 A1	03/08/2000	Pfizer Products Inc.		$\Box$		
Ç	23.	WO 98/56801	12/17/1998	Pfizer Products Inc.		П		

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. I Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. Senter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. Applicant is to place a check mark here if English language Translation is attached.

Examiner 6 3 6	Date	21.7.
Signature 7.7648C	Considered	017/07

PTO/SB/08a/b (06-03)
Approved for use through 07/31/2003. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE aperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/B/PTO Complete if Known Application Number 10/615,716 **INFORMATION DISCLOSURE** Filing Date July 8, 2003 STATEMENT BY APPLICANT Mladen MERCEP First Named Inventor Art Unit **TBA** (Use as many sheets as necessary) TBA Examiner Name 03818/100L650-US1 2 4 Attorney Docket Number Sheet of

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
Cr	24.	Gladue R. P. et al., "In Vitro and In Vivo Uptake of Azithromycin (CP-62,993) by Phagocytic Cells: Possible Mechanism of Delivery and Release at Sites of Infection," <i>Antimicrob. Agents and Chemother.</i> , 33. 1989, 277-282	
9-	25.	Olsen K. M. et al., "Intrapulmonary Pharmacokinetics of Zithromycin in Healthy Volunteers Given Five Oral Doses," <i>Antimicrob. Agents and Chemother.</i> ,40, 1996, 2582-2585	
4	26.	Mikasa, K. et al., "The anti-Inflammatory effect of erythromycin in zymosan-induced peritonitis of mice," J. Antimicrob. Chemother., 30, 1992, 339-348	
Cy	27.	"Discussion, Genomic organization of axolotl 1g genes," J. Immunol., 159, 1997, 3395-4005	
۲۳	28.	Takizawa, H. et al., "Erythromycin Modulates IL-8 Expression in Normal and Inflamed Human Bronchial Epithelial Cells," <i>Am. J. Respir. Crit. Care Med.</i> , 156, 1997, 266-271	
4	29.	Labro, M.T., "Anti-inflammatory activity of macrolides: a new therapeutic potential?" <i>J. Antimicrob. Chemother.</i> 41, 1998, 37-46	
ė,	30.	Cazzola, M., et al., "Potential role of macrolides in the treatment of asthma," <i>Mondaldi Arch. Chest Dis.</i> , 55, 2000, 231-236	
i,	31.	Avila, P.C. et al., "Macrolides, asthma, inflammation, and infection," Ann. Allergy Asthma Immunol, 84, 2000, 565-568	
γ,	32.	Amayasu, H. et al., "Clarithromycin suppresses bronchial hyperresponsisveness associated with eosinophilic inflammation in patients with asthma," <i>Ann. Allergy, Asthma &amp; Immunol</i> , 84, 2000, 594-598	
رگ	33.	Shoji, T. et al., "Anti-inflammatory effect of roxithromycin in patients with aspirin-intolerant asthma," Clin. Exp. Allergy, 29, 999, 950-956	
Ly.	34.	Griffith, E.C., et al., "Yeast Three-Hybrid System for Detecting Ligand-Receptor Interactions,"  Methods in Enzymology, 328m 2000, 89-110	
ζ,	35.	Denis A. et al., "Synthesis and Antibacterial Activity of HMR 36K47, A New Ketolide Highly Potent Against Erythromycin-Resistant and Susceptible Pathogens," <i>Bioorg. &amp; Med. Chem. Lett</i> , 9, 1999, 3075-3080	
ري.	36.	Agouridas C. et al., "Synthesis and Antibacterial Activity of Ketolides (6-O-Methyl-3-oxoerythromycin Derivatives): A New Class of Antibacterials Highly Potent against Macrolide-Resistant and -Susceptible Respiratory Pathogens," J. Med. Chem., 41, 1998, 4080-4100	
L;	37.	Sun, Or Y. et al. J. Med. Chem. 2000, 43, 1045-1049	
	38.	McFarland, J. W. et al., "Repromicin Derivatives with Potent Antibacterial Activity against Pasteurella multocida," J. Med. Chem., 50, 1997, 1041-1045	
	39.	Denis A. et al., "Synthesis of 6-O-Methyl-Azithromycin and Its Ketolide Analogue via Beckmann Rearrangement of 9(E)-6-O-Methyl-Erythromycin Oxime, <i>Bioorg.</i> & <i>Med. Chem. Lett.</i> , 8, 1998, 2427-2432	
iy.	40.	Lartey et al., "Synthesis of 4"-Deoxy Motilides: Identification of a Potent and Orally Active Prokinetic Drug Candidate, J. Med. Chem., 38, 1998, 1793-1798	



PTO/SB/08a/b (06-03)
Approved for use through 07/31/2003. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
a Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sul	ostitute for form 1449A/B/PT	0		Complete if Known		
				Application Number	10/615,716	
l IN	NFORMATION	I DI	SCLOSURE	Filing Date	July 8, 2003	
S	TATEMENT E	3Y /	APPLICANT	First Named Inventor	Mladen MERCEP	
				Art Unit	TBA	
	(Use as many she	eets as	necessary)	Examiner Name	TBA	
Sheet	3	of	. 4	Attorney Docket Number	03818/100L650-US1	

<ol> <li>Kirst, H.A. et al., "34. Metabolism of macrolides," Bryskier, A. J. et al., Ed. Macrolides, Chemistry, Pharmacology and Clinical Use; Bryskier, Arnette Blackwell: Paris, 1993; pp 485-491</li> <li>Ma, Z. et al., "Discovery and Development of Ketolides as a New Generation of Macrolide Antimicrobial Agents." Current Medicinal Chemistry - Anti-Infective Agents, 1, 2002, 15-34</li> <li>Pascual A. et al., "Uptake and intracellular activity of ketolide HMR 3647 in human phagocytic and non-phagocytic celis." Clin. Microbiol. Infect., 7, 2001, 65-69</li> <li>Hand, W. L. et al., "Characteristics and mechanisms of azithromycin accumulation and efflux in human polymorphonuclear leukocytes," Int. J. Antimicrob. Agents, 18, 2001, 419-425</li> <li>Amsden, G. W., "Advanced-generation macrolides: tissue-directed antibiotics," Int. J. Antimicrob. Agents, 18, 2001, 11-15</li> <li>Johnson, J. D. et al., "Antibiotic uptake by alveolar macrophages," J. Lab. Clin. Med., 95, 1980, 429-439</li> <li>Wildfeuer, A. et al., "Uptake of Azithromycin by Various Cells and Its Intracellular Activity under In Vivo Conditions," Antimicrob. Agents Chemother., 40, 1996, 75-79</li> <li>Scorneaux, B. et al., "Intracellular Accumulation, Subcellular Distribution, and Efflux of Tilmicosin in Chicken Phagocytes," Poult. Sci., 77, 1998, 1510-1521</li> <li>Mairag, E. M. et al., "Investigation of dirithromycin and erythromycylamine uptake by human neutrophils in vitro," J. Antimicrob. Chemother., 33, 1994, 523-536</li> <li>Anderson R. et al., "An in-vitro evaluation of the cellular uptake and intraphagocytic bioactivity of clarithromycin (A-56268, TE-031), a new macrolide antimicrobial agent," J. Antimicrob. Chemother., 22, 1988, 135-140</li> <li>Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-ylmethyl glycolates at C-20 based on kinetic examination," Chem. Soc., Perkin Trans. 1, 1998, 3331-3838</li> <li>Kertesz, D.J. et al., "Thiol Esters from Steroid 1</li></ol>			
42. Ma, Z. et al., "Discovery and Development of Ketolides as a New Generation of Macrolide Antimicrobial Agents," Current Medicinal Chemistry - Anti-Infective Agents, 1, 2002, 15-34  Pascual A. et al., "Uptake and intracellular activity of ketolide HMR 3647 in human phagocytic and non-phagocytic cells," Clin. Microbiol. Infect., 7, 2001, 65-69  44. Hand, W. L. et al., "Characteristics and mechanisms of azithromycin accumulation and efflux in human polymorphonuclear leukocytes," Int. J. Antimicrob. Agents, 18, 2001, 419-425  45. Amsden, G. W., "Advanced-generation macrolides: tissue-directed antibiotics," Int. J. Antimicrob. Agents, 18, 2001, 419-425  46. Johnson, J. D. et al., "Antibiotic uptake by alveolar macrophages," J. Lab. Clin. Med., 95, 1980, 429-439  47. Wildfeuer, A. et al., "Uptake of Azithromycin by Various Cells and Its Intracellular Activity under In Vivo Conditions," Antimicrob. Agents Chemother., 40, 1996, 75-79  48. Scorneaux, B. et al., "Intracellular Accumulation, Subcellular Distribution, and Efflux of Tilmicosin in Chicken Phagocytes," Poult. Sci., 77, 1998, 1510-1521  49. Mairag, E. M. et al., "Investigation of dirithromycin and erythromycylamine uptake by human neutrophils in vitro," J. Antimicrob. Chemother, 33, 1994, 523-536  50. Anderson R. et al., "An in-vitro evaluation of the cellular uptake and intraphagocytic bioactivity of clarithromycin (A-56268, TE-031), a new macrolide antimicrobial agent," J. Antimicrob. Chemother, 22, 1988, 923-933  51. Tasaka, Y. et al., "Rokitamycin Uptake by Alveolar Macrophages," Jpn. J. Antibiot. 41, 1988, 836-840  52. Harf, R. et al., "Spiramycin uptake by alveolar macrophages," J. Antimicrob. Chemother, 22, 1988, 135-140  53. Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-yl-methyl glycolates at 0-20 based on kinetic examination," Chem. Soc., Perkin Trans. 1, 1998, 3831-3835  54. McLean, H.M. et al., "Soft Drugs Based on Hydrocorisone: The Inactive Metabolite Approach and Its Application to Steroidal A	67	41.	
<ul> <li>43. Pascual A, et al., "Uptake and intracellular activity of ketolide HMR 3647 in human phagocytic and non-phagocytic cells," <i>Clin. Microbiol. Infect.</i>, 7, 2001, 65-69</li> <li>44. Hand, W. L. et al., "Characteristics and mechanisms of azithromycin accumulation and efflux in human polymorphonuclear leukocytes," <i>Int. J. Antimicrob. Agents</i>, 18, 2001, 419-425</li> <li>45. Amsden, G. W., "Advanced-generation macrolides: tissue-directed antibiotics," <i>Int. J. Antimicrob. Agents</i>, 18, 2001, 11-15</li> <li>46. Johnson, J. D. et al., "Antibiotic uptake by alveolar macrophages," <i>J. Lab. Clin. Med.</i>, 95, 1980, 429-439</li> <li>47. Wildfeuer, A. et al., "Uptake of Azithromycin by Various Cells and Its Intracellular Activity under in Vivo Conditions," <i>Antimicrob. Agents Chemother</i>, 40, 1996, 75-79</li> <li>48. Scorneaux, B. et al., "Intracellular Accumulation, Subcellular Distribution, and Efflux of Tilmicosin in Chicken Phagocytes," <i>Poult. Sci.</i>, 77, 1998, 1510-1521</li> <li>49. Mairag, E. M. et al., "Investigation of dirithromycin and erythromycylamine uptake by human neutrophils in <i>vitro</i>." <i>J. Antimicrob. Chemother</i>, 33, 1994, 523-536</li> <li>50. Anderson R. et al., "an in-vitro evaluation of the cellular uptake and intraphagocytic bioactivity of clarithromycin (A-56268, TE-031), a new macrolide antimicrobial agent," <i>J. Antimicrob. Chemother</i>, 22, 1988, 923-933</li> <li>51. Tasaka, Y. et al., "Spiramycin uptake by Alveolar Macrophages," <i>J. Antimicrob. Chemother</i>, 22, 1988, 135-140</li> <li>52. Harf, R. et al., "Spiramycin uptake by alveolar macrophages," <i>J. Antimicrob. Chemother</i>, 22, 1988, 135-140</li> <li>53. Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-ylmethyl glycolates at C-20 based on kinetic examination," <i>Chem. Soc.</i>, Perkin Trans. 1, 1998, 3831-3836</li> <li>54. McLean, H.M. et al., "Soft Drugs Based on Hydrocorisone: The Inactive Metabolite Approach and Its Application to Steroidal Antiinflammatory Steroid with Reduced Side Effects: Methy</li></ul>		42.	
<ul> <li>44. Hand, W. L. et al., "Characteristics and mechanisms of azithromycin accumulation and efflux in human polymorphonuclear leukocytes," <i>Int. J. Antimicrob. Agents</i>, 18, 2001, 419-425</li> <li>45. Amsden, G. W., "Advanced-generation macrolides: tissue-directed antibiotics," <i>Int. J. Antimicrob. Agents</i>, 18, 2001, 11-15</li> <li>46. Johnson, J. D. et al., "Antibiotic uptake by alveolar macrophages," <i>J. Lab. Clin. Med.</i>, 95, 1980, 429-439</li> <li>47. Wildfeuer, A. et al., "Uptake of Azithromycin by Various Cells and Its Intracellular Activity under In Vivo Conditions," <i>Antimicrob. Agents Chemother.</i>, 40, 1996, 75-79</li> <li>48. Scorneaux, B. et al., "Intracellular Accumulation, Subcellular Distribution, and Efflux of Tilmicosin in Chicken Phagocytes," <i>Poult. Sci.</i>, 77, 1998, 1510-1521</li> <li>49. Mairag, E. M. et al., "Investigation of dirithromycin and erythromycylamine uptake by human neutrophilis <i>in vitro</i>," <i>J. Antimicrob. Chemother.</i> 33, 1994, 523-536</li> <li>50. Anderson R. et al., "An in-vitro evaluation of the cellular uptake and intraphagocytic bioactivity of clarithromycin (A-58268, TE-031), a new macrolide antimicrobial agent," <i>J. Antimicrob. Chemother.</i>, 22, 1988, 923-933</li> <li>51. Tasaka, Y. et al., "Rokitamycin Uptake by Alveolar Macrophages," <i>Jpn. J. Antibiot.</i> 41, 1988, 336-840</li> <li>52. Harf, R. et al., "Spiramycin uptake by alveolar macrophages," <i>J. Antimicrob. Chemother.</i>, 22, 1988, 135-140</li> <li>53. Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-ylmethyl glycolates at C-20 based on kinetic examination," <i>Chem. Soc.</i>, Perkin Trans. 1, 1998, 3831-3836</li> <li>54. McLean, H.M. et al., "Novel Fluorinated Antiinflammatory Steroid with Reduced Side Effects: Methyl) 9x-Eluroprednisolone-16-carboxylate," <i>J. Pharm. Sci.</i> 1994, 83, 476-480</li> <li>55. Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and Internal Participation by 17α-Acylates," <i>J. Org. Chem.</i>, 51, 1986, 2315-2328<td></td><td>43.</td><td>Pascual A. et al., "Uptake and intracellular activity of ketolide HMR 3647 in human phagocytic</td></li></ul>		43.	Pascual A. et al., "Uptake and intracellular activity of ketolide HMR 3647 in human phagocytic
<ul> <li>45. Amsden, G. W., "Advanced-generation macrolides: tissue-directed antibiotics," Int. J. Antimicrob. Agents, 18, 2001, 11-15</li> <li>46. Johnson, J. D. et al., "Antibiotic uptake by alveolar macrophages," J. Lab. Clin. Med., 95, 1980, 429-439</li> <li>47. Wildfeuer, A. et al., "Uptake of Azithromycin by Various Cells and Its Intracellular Activity under In Vivo Conditions," Antimicrob. Agents Chemother., 40, 1996, 75-79</li> <li>48. Scorneaux, B. et al., "Intracellular Accumulation, Subcellular Distribution, and Efflux of Tilmicosin in Chicken Phagocytes," Poult. Sci., 77, 1998, 1510-1521</li> <li>49. Mairag, E. M. et al., "Investigation of dirithromycin and erythromycylamine uptake by human neutrophils in vitro," J. Antimicrob. Chemother. 33, 1994, 523-536</li> <li>50. Anderson R. et al., "An in-vitro evaluation of the cellular uptake and intraphagocytic bioactivity of clarithromycin (A-56268, TE-031), a new macrolide antimicrobial agent," J. Antimicrob. Chemother., 22, 1988, 923-933</li> <li>51. Tasaka, Y. et al., "Rokitamycin Uptake by Alveolar Macrophages," Jpn. J. Antibiot. 41, 1988, 836-840</li> <li>52. Harf, R. et al., "Spiramycin uptake by alveolar macrophages," J. Antimicrob. Chemother., 22, 1988, 135-140</li> <li>53. Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-ylmethyl glycolates at C-20 based on kinetic examination," Chem. Soc., Perkin Trans. 1, 1998, 3831-3836</li> <li>54. McLean, H.M. et al., "Novel Fluorinated Antiinflammatory Steroid with Reduced Side Effects: Methyl 9a-Fluoroprednisolone-16-carboxylate," J. Pharm. Sci. 1994, 83, 476-480</li> <li>55. Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and Its Application to Steroidal Antiinflammatory Agents," Pharm. Res., 16, 1999, 961-967</li> <li>56. Kerlesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation and Internal Participation by 17α-Acylates," J. Org. Chem., 51, 1996, 2315-2328</li> <li>57. Phillipps,</li></ul>	زې	44.	Hand, W. L. et al., "Characteristics and mechanisms of azithromycin accumulation and efflux
<ul> <li>Johnson, J. D. et al., "Antibiotic uptake by alveolar macrophages," <i>J. Lab. Clin. Med.</i>, 95, 1980, 429-439</li> <li>Wildfeuer, A. et al., "Uptake of Azithromycin by Various Cells and Its Intracellular Activity under In Vivo Conditions," <i>Antimicrob. Agents Chemother.</i>, 40, 1996, 75-79</li> <li>Scorneaux, B. et al., "Intracellular Accumulation, Subcellular Distribution, and Efflux of Tilmicosin in Chicken Phagocytes," <i>Poult. Sci.</i>, 77, 1998, 1510-1521</li> <li>Hairag, E. M. et al., "Investigation of dirithromycin and erythromycylamine uptake by human neutrophils <i>in vitro</i>," <i>J. Antimicrob. Chemother.</i>, 33, 1994, 523-536</li> <li>Anderson R. et al., "An in-vitro evaluation of the cellular uptake and intraphagocytic bioactivity of clarithromycin (A-56268, TE-031), a new macrolide antimicrobial agent," <i>J. Antimicrob. Chemother.</i>, 22, 1988, 923-933</li> <li>Tasaka, Y. et al., "Rokitamycin Uptake by Alveolar Macrophages," <i>Jpn. J. Antibiot.</i> 41, 1988, 836-840</li> <li>Harf, R. et al., "Spiramycin uptake by alveolar macrophages," <i>J. Antimicrob. Chemother.</i>, 22, 1988, 135-140</li> <li>Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-yl-methyl glycolates at C-20 based on kinetic examination," <i>Chem. Soc.</i>, Perkin Trans. 1, 1998, 3831-3836</li> <li>McLean, H.M. et al., "Novel Fluorinated Antiinflammatory Steroid with Reduced Side Effects: Methyl 9α-Fluoroprednisolone-16-carboxylate," <i>J. Pharm. Sci.</i> 1994, 83, 476-480</li> <li>Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and Its Application to Steroidal Antiinflammatory Agents," <i>Pharm. Res.</i>, 16, 1999, 961-967</li> <li>Kertesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation and Internal Participation by 17α-Acylates," <i>J. Org. Chem.</i>, 51, 1986, 2315-2328</li> <li>Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioat</li></ul>		45.	Amsden, G. W., "Advanced-generation macrolides: tissue-directed antibiotics," Int. J.
<ul> <li>47. Wildfeuer, A. et al., "Uptake of Azithromycin by Various Cells and Its Intracellular Activity under In Vivo Conditions," Antimicrob. Agents Chemother., 40, 1996, 75-79</li> <li>48. Scorneaux, B. et al., "Intracellular Accumulation, Subcellular Distribution, and Efflux of Tilmicosin in Chicken Phagocytes," Poult. Sci., 77, 1998, 1510-1521</li> <li>49. Mtairag, E. M. et al., "Investigation of dirithromycin and erythromycylamine uptake by human neutrophils in vitro," J. Antimicrob. Chemother. 33, 1994, 523-536</li> <li>50. Anderson R. et al., "An in-vitro evaluation of the cellular uptake and intraphagocytic bioactivity of clarithromycin (A-56268, TE-031), a new macrolide antimicrobial agent," J. Antimicrob. Chemother., 22, 1988, 923-933</li> <li>51. Tasaka, Y. et al., "Rokitamycin Uptake by Alveolar Macrophages," Jpn. J. Antimicrob. Chemother., 22, 1988, 135-140</li> <li>52. Harf, R. et al., "Spiramycin uptake by alveolar macrophages," J. Antimicrob. Chemother., 22, 1988, 135-140</li> <li>53. Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-ylmethyl glycolates at C-20 based on kinetic examination," Chem. Soc., Perkin Trans. 1, 1998, 3831-3836</li> <li>54. McLean, H.M. et al., "Novel Fluorinated Antiinflammatory Steroid with Reduced Side Effects: Methyl 9a-Fluoroprednisolone-16-carboxylate," J. Pharm. Sci. 1994, 83, 476-480</li> <li>55. Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and Its Application to Steroidal Antiinflammatory Agents," Pharm. Res., 16, 1999, 961-967</li> <li>56. Kertesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation and Internal Participation by 17α-Acylates," J. Org. Chem., 51, 1986, 2315-2328</li> <li>57. Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioates and 17β-carboselenoates," J. Med. Chem., 37, 1994, 3717-3729</li> <li>58. Brigh</li></ul>	i,	46.	Johnson, J. D. et al., "Antibiotic uptake by alveolar macrophages," J. Lab. Clin. Med., 95,
<ul> <li>48. Scorneaux, B. et al., "Intracellular Accumulation, Subcellular Distribution, and Efflux of Tilmicosin in Chicken Phagocytes," <i>Poult. Sci.</i>, 77, 1998, 1510-1521</li> <li>49. Mtairag, E. M. et al., "Investigation of dirithromycin and erythromycylamine uptake by human neutrophilis <i>in vitro</i>," <i>J. Antimicrob. Chemother.</i> 33, 1994, 523-536</li> <li>50. Anderson R. et al., "An in-vitro evaluation of the cellular uptake and intraphagocytic bioactivity of clarithromycin (A-56268, TE-031), a new macrolide antimicrobial agent," <i>J. Antimicrob. Chemother.</i>, 22, 1988, 923-933</li> <li>51. Tasaka, Y. et al., "Rokitamycin Uptake by Alveolar Macrophages," <i>Jpn. J. Antibiot.</i> 41, 1988, 836-840</li> <li>52. Harf, R. et al., "Spiramycin uptake by alveolar macrophages," <i>J. Antimicrob. Chemother.</i>, 22, 1988, 135-140</li> <li>53. Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-ylmethyl glycolates at C-20 based on kinetic examination," <i>Chem. Soc.</i>, Perkin Trans. 1, 1998, 3831-3836</li> <li>54. McLean, H.M. et al., "Novel Fluorinated Antiinflammatory Steroid with Reduced Side Effects: Methyl 9α-Fluoroprednisolone-16-carboxylate," <i>J. Pharm. Sci.</i> 1994, 83, 476-480</li> <li>55. Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and Its Application to Steroidal Antiinflammatory Agents," <i>Pharm. Res.</i>, 16, 1999, 961-967</li> <li>56. Kertesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation and Internal Participation by 17α-Acylates," <i>J. Org. Chem.</i>, 51, 1986, 2315-2328</li> <li>57. Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioates and 17β-carboselenoates," <i>J. Med. Chem.</i> 37, 1994, 3717-3729</li> <li>58. Bright, G.M. et al., "Synthesis, In Vitro and In Vivo Activity of Novel 9-Deoxo-9a-AZA-9a-Homoerythromycin A Derivatives; A new Class of Macrolide Antibiotics, the Azalides" <i>J. </i></li></ul>		47.	Wildfeuer, A. et al., "Uptake of Azithromycin by Various Cells and Its Intracellular Activity under
<ul> <li>49. Mtairag, E. M. et al., "Investigation of dirithromycin and erythromycylamine uptake by human neutrophilis in vitro," J. Antimicrob. Chemother. 33, 1994, 523-536</li> <li>50. Anderson R. et al., "An in-vitro evaluation of the cellular uptake and intraphagocytic bioactivity of clarithromycin (A-56268, TE-031), a new macrolide antimicrobial agent," J. Antimicrob. Chemother., 22, 1988, 923-933</li> <li>51. Tasaka, Y. et al., "Rokitamycin Uptake by Alveolar Macrophages," Jpn. J. Antibiot. 41, 1988, 836-840</li> <li>52. Harf, R. et al., "Spiramycin uptake by alveolar macrophages," J. Antimicrob. Chemother., 22, 1988, 135-140</li> <li>53. Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-ylmethyl glycolates at C-20 based on kinetic examination," Chem. Soc., Perkin Trans. 1, 1998, 3831-3836</li> <li>54. McLean, H.M. et al., "Novel Fluorinated Antiinflammatory Steroid with Reduced Side Effects: Methyl 9α-Fluoroprednisolone-16-carboxylate," J. Pharm. Sci. 1994, 83, 476-480</li> <li>55. Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and Its Application to Steroidal Antiinflammatory Agents," Pharm. Res., 16, 1999, 961-967</li> <li>56. Kertesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation and Internal Participation by 17α-Acylates," J. Org. Chem., 51, 1986, 2315-2328</li> <li>57. Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioates and 17β-carboselenoates," J. Med. Chem. 37, 1994, 3717-3729</li> <li>58. Bright, G.M. et al., "Synthesis, In Vitro and In Vivo Activity of Novel 9-Deoxo-9a-AZA-9a-Homoerythromycin A Derivatives; A new Class of Macrolide Antibiotics, the Azalides" J. Antibiot., 41, 1998, 1029-1047</li> <li>59. Costa, A.M. et al., "Hybrids of macrolides and nucleobases or nucleosides," Tetrahedron</li> </ul>		48.	Scorneaux, B. et al., "Intracellular Accumulation, Subcellular Distribution, and Efflux of
of clarithromycin (A-56268, TE-031), a new macrolide antimicrobial agent," <i>J. Antimicrob. Chemother.</i> , 22, 1988, 923-933  51. Tasaka, Y. et al., "Rokitamycin Uptake by Alveolar Macrophages," <i>Jpn. J. Antibiot.</i> 41, 1988, 836-840  52. Harf, R. et al., "Spiramycin uptake by alveolar macrophages," <i>J. Antimicrob. Chemother.</i> , 22, 1988, 135-140  53. Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-ylmethyl glycolates at C-20 based on kinetic examination," <i>Chem. Soc.</i> , Perkin Trans. 1, 1998, 3831-3836  54. McLean, H.M. et al., "Novel Fluorinated Antiinflammatory Steroid with Reduced Side Effects: Methyl 9α-Fluoroprednisolone-16-carboxylate," <i>J. Pharm. Sci.</i> 1994, 83, 476-480  55. Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and Its Application to Steroidal Antiinflammatory Agents," <i>Pharm. Res.</i> , 16, 1999, 961-967  56. Kertesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation and Internal Participation by 17α-Acylates," <i>J. Org. Chem.</i> , 51, 1986, 2315-2328  57. Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioates and 17β-carboselenoates," <i>J. Med. Chem.</i> 37, 1994, 3717-3729  58. Bright, G.M. et al., "Synthesis, In Vitro and In Vivo Activity of Novel 9-Deoxo-9a-AZA-9a-Homoerythromycin A Derivatives; A new Class of Macrolide Antibiotics, the Azalides" <i>J. Antibiot.</i> , 41, 1998, 1029-1047  59. Costa, A.M. et al., "Hybrids of macrolides and nucleobases or nucleosides," <i>Tetrahedron</i>	ζ,	49.	
<ul> <li>836-840</li> <li>52. Harf, R. et al., "Spiramycin uptake by alveolar macrophages," <i>J. Antimicrob. Chemother.</i>, 22, 1988, 135-140</li> <li>53. Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-yl-methyl glycolates at C-20 based on kinetic examination," <i>Chem. Soc.</i>, Perkin Trans. 1, 1998, 3831-3836</li> <li>54. McLean, H.M. et al., "Novel Fluorinated Antiinflammatory Steroid with Reduced Side Effects: Methyl 9α-Fluoroprednisolone-16-carboxylate," <i>J. Pharm. Sci.</i> 1994, 83, 476-480</li> <li>55. Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and Its Application to Steroidal Antiinflammatory Agents," <i>Pharm. Res.</i>, 16, 1999, 961-967</li> <li>56. Kertesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation and Internal Participation by 17α-Acylates," <i>J. Org. Chem.</i>, 51, 1986, 2315-2328</li> <li>57. Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioates and 17β-carboselenoates," <i>J. Med. Chem.</i> 37, 1994, 3717-3729</li> <li>58. Bright, G.M. et al., "Synthesis, In Vitro and In Vivo Activity of Novel 9-Deoxo-9a-AZA-9a-Homoerythromycin A Derivatives; A new Class of Macrolide Antibiotics, the Azalides" <i>J. Antibiot.</i>, 41, 1998, 1029-1047</li> <li>59. Costa, A.M. et al., "Hybrids of macrolides and nucleobases or nucleosides," <i>Tetrahedron</i></li> </ul>	Ty	50.	of clarithromycin (A-56268, TE-031), a new macrolide antimicrobial agent," J. Antimicrob.
<ul> <li>52. Harf, R. et al., "Spiramycin uptake by alveolar macrophages," J. Antimicrob. Chemother., 22, 1988, 135-140</li> <li>53. Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-ylmethyl glycolates at C-20 based on kinetic examination," Chem. Soc., Perkin Trans. 1, 1998, 3831-3836</li> <li>54. McLean, H.M. et al., "Novel Fluorinated Antiinflammatory Steroid with Reduced Side Effects: Methyl 9α-Fluoroprednisolone-16-carboxylate," J. Pharm. Sci. 1994, 83, 476-480</li> <li>55. Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and Its Application to Steroidal Antiinflammatory Agents," Pharm. Res., 16, 1999, 961-967</li> <li>56. Kertesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation and Internal Participation by 17α-Acylates," J. Org. Chem., 51, 1986, 2315-2328</li> <li>57. Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioates and 17β-carboselenoates," J. Med. Chem. 37, 1994, 3717-3729</li> <li>58. Bright, G.M. et al., "Synthesis, In Vitro and In Vivo Activity of Novel 9-Deoxo-9a-AZA-9a-Homoerythromycin A Derivatives; A new Class of Macrolide Antibiotics, the Azalides" J. Antibiot., 41, 1998, 1029-1047</li> <li>59. Costa, A.M. et al., "Hybrids of macrolides and nucleobases or nucleosides," Tetrahedron</li> </ul>	Lyr.	51.	
<ul> <li>53. Suzuki, T. et al., "General and facile method for determination of configuration of steroid-17-ylmethyl glycolates at C-20 based on kinetic examination," <i>Chem. Soc.</i>, Perkin Trans. 1, 1998, 3831-3836</li> <li>54. McLean, H.M. et al., "Novel Fluorinated Antiinflammatory Steroid with Reduced Side Effects: Methyl 9α-Fluoroprednisolone-16-carboxylate," <i>J. Pharm. Sci.</i> 1994, 83, 476-480</li> <li>55. Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and Its Application to Steroidal Antiinflammatory Agents," <i>Pharm. Res.</i>, 16, 1999, 961-967</li> <li>56. Kertesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation and Internal Participation by 17α-Acylates," <i>J. Org. Chem.</i>, 51, 1986, 2315-2328</li> <li>57. Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioates and 17β-carboselenoates," <i>J. Med. Chem.</i> 37, 1994, 3717-3729</li> <li>58. Bright, G.M. et al., "Synthesis, In Vitro and In Vivo Activity of Novel 9-Deoxo-9a-AZA-9a-Homoerythromycin A Derivatives; A new Class of Macrolide Antibiotics, the Azalides" <i>J. Antibiot.</i>, 41, 1998, 1029-1047</li> <li>59. Costa, A.M. et al., "Hybrids of macrolides and nucleobases or nucleosides," <i>Tetrahedron</i></li> </ul>		52.	
<ul> <li>54. McLean, H.M. et al., "Novel Fluorinated Antiinflammatory Steroid with Reduced Side Effects: Methyl 9α-Fluoroprednisolone-16-carboxylate," <i>J. Pharm. Sci.</i> 1994, 83, 476-480</li> <li>55. Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and Its Application to Steroidal Antiinflammatory Agents," <i>Pharm. Res.</i>, 16, 1999, 961-967</li> <li>56. Kertesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation and Internal Participation by 17α-Acylates," <i>J. Org. Chem.</i>, 51, 1986, 2315-2328</li> <li>57. Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioates and 17β-carboselenoates," <i>J. Med. Chem.</i> 37, 1994, 3717-3729</li> <li>58. Bright, G.M. et al., "Synthesis, In Vitro and In Vivo Activity of Novel 9-Deoxo-9a-AZA-9a-Homoerythromycin A Derivatives; A new Class of Macrolide Antibiotics, the Azalides" <i>J. Antibiot.</i>, 41, 1998, 1029-1047</li> <li>59. Costa, A.M. et al., "Hybrids of macrolides and nucleobases or nucleosides," <i>Tetrahedron</i></li> </ul>	4)	53.	methyl glycolates at C-20 based on kinetic examination," Chem. Soc., Perkin Trans. 1, 1998,
<ul> <li>55. Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and Its Application to Steroidal Antiinflammatory Agents," Pharm. Res., 16, 1999, 961-967</li> <li>56. Kertesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation and Internal Participation by 17α-Acylates," J. Org. Chem., 51, 1986, 2315-2328</li> <li>57. Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioates and 17β-carboselenoates," J. Med. Chem. 37, 1994, 3717-3729</li> <li>58. Bright, G.M. et al., "Synthesis, In Vitro and In Vivo Activity of Novel 9-Deoxo-9a-AZA-9a-Homoerythromycin A Derivatives; A new Class of Macrolide Antibiotics, the Azalides" J. Antibiot., 41, 1998, 1029-1047</li> <li>59. Costa, A.M. et al., "Hybrids of macrolides and nucleobases or nucleosides," Tetrahedron</li> </ul>	۷,۶	54.	McLean, H.M. et al., "Novel Fluorinated Antiinflammatory Steroid with Reduced Side Effects:
<ul> <li>56. Kertesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation and Internal Participation by 17α-Acylates," J. Org. Chem., 51, 1986, 2315-2328</li> <li>57. Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioates and 17β-carboselenoates," J. Med. Chem. 37, 1994, 3717-3729</li> <li>58. Bright, G.M. et al., "Synthesis, In Vitro and In Vivo Activity of Novel 9-Deoxo-9a-AZA-9a-Homoerythromycin A Derivatives; A new Class of Macrolide Antibiotics, the Azalides" J. Antibiot., 41, 1998, 1029-1047</li> <li>59. Costa, A.M. et al., "Hybrids of macrolides and nucleobases or nucleosides," Tetrahedron</li> </ul>	برغ	55.	Little, R.J. et al., "Soft Drugs Based on Hydrocortisone: The Inactive Metabolite Approach and
<ul> <li>57. Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioates and 17β-carboselenoates," <i>J. Med. Chem.</i> 37, 1994, 3717-3729</li> <li>58. Bright, G.M. et al., "Synthesis, In Vitro and In Vivo Activity of Novel 9-Deoxo-9a-AZA-9a-Homoerythromycin A Derivatives; A new Class of Macrolide Antibiotics, the Azalides" <i>J. Antibiot.</i>, 41, 1998, 1029-1047</li> <li>59. Costa, A.M. et al., "Hybrids of macrolides and nucleobases or nucleosides," <i>Tetrahedron</i></li> </ul>	· y'	56.	Kertesz, D.J. et al., "Thiol Esters from Steroid 17β-Carboxylic Acids: Carboxylate Activation
58. Bright, G.M. et al., "Synthesis, In Vitro and In Vivo Activity of Novel 9-Deoxo-9a-AZA-9a-Homoerythromycin A Derivatives; A new Class of Macrolide Antibiotics, the Azalides" <i>J. Antibiot.</i> , 41, 1998, 1029-1047  59. Costa, A.M. et al., "Hybrids of macrolides and nucleobases or nucleosides," <i>Tetrahedron</i>	i <sub>j</sub> ,	57.	Phillipps, G. et al., "Synthesis and Structure - Activity Relationships in a Series of Antiinflammatory Corticosteroid Analogues, Halomethyl Androstane-17β-carbothioates and
59. Costa, A.M. et al., "Hybrids of macrolides and nucleobases or nucleosides," Tetrahedron	Ly*	58.	Bright, G.M. et al., "Synthesis, In Vitro and In Vivo Activity of Novel 9-Deoxo-9a-AZA-9a-Homoerythromycin A Derivatives; A new Class of Macrolide Antibiotics, the Azalides" J.
	G	59.	Costa, A.M. et al., "Hybrids of macrolides and nucleobases or nucleosides," Tetrahedron

Examiner	$C = V_{C} \circ C$	Date	2.159
Signature	El. Texto	Considered	217/21



PTO/S8/08a/b (06-03)

Approved for use through 07/31/2003. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE on Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sub	Substitute for form 1449A/B/PTO			Complete if Known		
				Application Number	10/615,716	
l IN	<b>IFORMATIO</b>	N DISC	CLOSURE	Filing Date	July 8, 2003	
l s	<b>TATEMENT</b>	<b>BY AP</b>	PLICANT	First Named Inventor	Mladen MERCEP	
				Art Unit	TBA	
	(Use as many s	heets as ned	cessary)	Examiner Name	TBA	
Sheet	4	of	4	Attorney Docket Number	03818/100L650-US1	

in	60.	Newman, S.P. et al., "Evaluation of jet nebulisers for use with gentamicin solution," <i>Thorax</i> , 40, 1985, 671-676	
8	61.	Berenberg, M.J. et al., "Comparison of Metered-Dose Inhaler Attached to an Aerochamber with an Updraft Nebulizer for the Administration of Metaproterenol in Hospitalized Patients," J. Asthma USA, 22, 1985, 87-92	

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

M:\3818\1L650US1\00044185.DOC

Examiner	12. 0	Date 7,
Signature	1. M. Ce	Considered J/1/67

<sup>&#</sup>x27;Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.